



GOVERNMENT OF ODISHA  
HEALTH & FAMILY WELFARE DEPARTMENT

\*\*\*\*\*

No. PT2-HFW-SCH-I-MISC-0023-2020- 14783 /H Dated, 14.05.2021

From

Sri P.K. Mohapatra, IAS,  
Additional Chief Secretary to Government.

To

All Collector & District Magistrates  
The Commissioner, Municipal Corporations  
Bhubaneswar, Cuttack, Berhampur, Sambalpur and Rourkela  
All CDM & PHOs

**Sub:- Revised schedule for 2<sup>nd</sup> dose vaccination of Covishield with stipulated time interval of 12 to 16 weeks after 1<sup>st</sup> dose – Reg.**

Ref:- D.O. No.1940407/2020/ Imm dated, 13<sup>th</sup> May 2021 of Govt. of India, Ministry of Health & FW

Madam/Sir,

With reference to letter cited above on the subject, I am to say that the National Technical Advisory Group on Immunization (NTAGI) and National Expert Group on Vaccine Administration for COVID-19 (NEGVAC) have recommended "the revision in schedule of Covishield to administer the 2<sup>nd</sup> dose at 12 to 16 weeks interval after 1<sup>st</sup> dose" instead of earlier interval 6 to 8 weeks.

**It is to note that the revised time interval between two doses is applicable only to Covishield Vaccine and not to Covaxin Vaccine.** The time interval between two doses of Covaxin remains the same i.e. 4 to 6 weeks.

In current scenario, the load for Covishield 2<sup>nd</sup> dose due beneficiaries at the district level will be very minimal. Hence, priority shall be given for vaccination of 1<sup>st</sup> dose beneficiaries i.e. HCWs, FLWs and 45 years & above.

You are, therefore, requested to take necessary steps at youe level to widely disseminate the above revised schedule for Covishield among all Programme Officers, Programme Managers, Verifiers, Vaccinators and Citizens.

**Enclosure: As above.**

Yours faithfully,

14/05/2021  
Additional Chief Secretary to Government

Memo No. 14784 /H

Dated, 14.05.2021

Copy forwarded to the Mission Director, NHM, Odisha for kind information.

14/05/2021  
Joint Secretary to Government

Memo No. 14785 /H

Dated, 14.05.2021

Copy forwarded to DFW, Odisha for information & necessary action.

*Jashapala*  
14/05/2021  
Joint Secretary to Government

ADDITIONAL SECRETARY

DEPARTMENT OF FOOD AND NUTRITION

GOVERNMENT OF ODISHA

14785-14/05/2021

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

FOR INFORMATION

*Jashapala*  
14/05/2021

FOR INFORMATION

14785

*Jashapala*  
14/05/2021





राजेश भूषण, आईएएस  
सचिव

RAJESH BHUSHAN, IAS  
SECRETARY



भारत सरकार  
स्वास्थ्य एवं परिवार कल्याण विभाग  
स्वास्थ्य एवं परिवार कल्याण मंत्रालय  
Government of India  
Department of Health and Family Welfare  
Ministry of Health and Family Welfare

D.O No. 1940407/2020/Imm  
13<sup>th</sup> May 2021

*Dear Colleague,*

COVID-19 vaccination drive in India has completed 117 days during which we have been able to vaccinate 17.7 crore beneficiaries of which 3.9 crore beneficiaries have completed the two doses schedule of vaccination as per the recommended interval of 4 weeks for Covaxin and 6-8 weeks for Covishield. This has been possible due to the proactive involvement of all States and UTs.

2. In view of the emerging scientific evidences, the interval between two doses of a specified COVID-19 vaccine i.e. COVISHIELD, has been revisited by Covid Working Group of The National Technical Advisory Group on Immunization (NTAGI) and subsequently by National Expert Group on Vaccine Administration for COVID-19 (NEGVAC) in its meeting held on 12<sup>th</sup> May 2021. NEGVAC has recommended revision in schedule of Covishield to administer the 2<sup>nd</sup> dose at 12-16 weeks interval after 1<sup>st</sup> dose instead of earlier interval of 6-8 weeks.

3. MoHFW, Government of India has since accepted the recommendation of NTAGI and NEGVAC. Therefore, the States and UTs are advised to ensure 2<sup>nd</sup> dose of Covishield to beneficiaries within this stipulated time interval of 12-16 weeks after 1<sup>st</sup> dose.

4. I request you to kindly instruct the concerned officials to undertake necessary steps to widely disseminate the message of revised dosing interval amongst programme managers, vaccinators and recipients of COVISHIELD vaccine and ensure adherence of revised dosing interval. Requisite changes are being carried out in the Co-WIN platform and would be separately communicated to the States/UTs. **You are also requested to note that this decision of revised time interval between two doses is applicable only to Covishield and not to Covaxin vaccine.**

*Harm Regards.*

Yours sincerely

(Rajesh Bhushan)

Chief Secretary, All States & UTs,

Copy to: Additional Chief Secretary/Principal Secretary/Secretary(Health)  
All States & UTs